

# HOLGATE<sup>®</sup> TOYS

America's Wooden Toy Maker Since 1929

## CERTIFICATE OF COMPLIANCE

We certify that any and all products supplied where applicable, are now, and will be in the future, in compliance with all regulations specified within The Consumer Product Safety Improvement Act of 2008 including:

ASTM F963-07

Small Parts Warnings

Lead Content (15 U.S.C. 2052(a) (16) )

Phthalates Restrictions (sec. 108)

3<sup>rd</sup> Party Independent Testing (14(a)(15 U.S.C. 2063(a))

Testing shall be made available upon request by contacting:

Company Name: Pepperell Braiding Company, Inc.  
dba Holgate Toy Company  
548 High Street  
Bradford, PA 16701  
[info@holgatetoy.com](mailto:info@holgatetoy.com)

**Division of Pepperell Braiding Company**

P.O. Box 528 • 548 High Street • Bradford, PA 16701 • 814-368-4454 • Fax 814-368-9140



**Test Report**

NO.: ASZ09070308101

Date: Jul 20, 2009

Page 1 of 4

**Customer:** Pepperell Crafts of Ningbo

**Address:** 1<sup>st</sup> Fangxin road, Fenghua Industrial Zone, Fenghua, Ningbo, China

**Report on the submitted sample said to be**

**Sample name:** MIX & MATCH ME

**Model:** HZMIXM

**Item/Lot No.:** /

**Material:** /

**Buyer:** /

**Supplier:** Holgate Toy of Pepperell Braiding Company, Inc.

**Manufacturer:** Holgate Toy of Pepperell Braiding Company, Inc.

**Country of Origin:** USA

**Country of Destination:** USA

**Labelled Age Grading:** 3 YEAR AND UP

**Sample received date:** Jul 03, 2009

**Testing period:** From Jul 03, 2009 to Jul 20, 2009

**Testing Requested:**

**Conclusion**

ASTM Standard Consumer Safety Specification on Toy Safety F 963-08

- ASTM F 963-08: Physical & Mechanical Tests

Pass

- ASTM F 963-08: Flammability Tests

Pass

- ASTM F 963-08: Heavy Metal Content

Pass

\*\*\*\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE (S)\*\*\*\*\*

**Signed for AOV Ltd.**

Written by

Herry

Inspected by

Wally

Approved by

Jeanah

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

**Shenzhen AOV Testing Technology Co., Ltd.**

2-6/F, No.5, Yuantou Lane, Tanglang, Taoyuan Street, Nanshan District, Shenzhen, Guangdong, China

Tel: 86-755-8600 8000 Fax: 86-755-8600 8282

Http: //www.aovt.com



# Test Report

NO.: ASZ09070308101

Date: Jul 20, 2009

Page 2 of 4

## Results:

### - Mechanical and physical hazards

Ref: ASTM F 963-08 Section 4;5;6;7 and 8

Section	Description	Result
4.1	Material Quality	Pass
4.3	Toxicology	See Heavy metals analysis Test Result
4.6	Small Objects	Pass
4.7	Accessible Edges	Pass
4.9	Accessible Points	Pass
4.12	Packaging Film	Pass
5	Safety Labeling Requirements Age Grading Labeling	
5.2	Remark: Toys that are subject to any of the requirements of this specification should be labeled to indicate the minimum age for intended use or have such labeling on any retail packaging.	See Remark
6	Instructional Literature Definition and Description	
6.1	Remark: Information and instructions that are provided for the safe use or assembly, or both, of a toy, whether on the package or in leaflet form, shall be easy to read understand by persons of the age level for whom the instructions and information are intended, including, if appropriate, children for whom the toy is intended. All such literature shall be shown in the English language at a minimum.	Pass
7	Producer's Markings Name and Address of the Producer or Distributor	
7.1	Remark: Either a principal component of a toy or the package of a toy shall be marked with the name and address of producer or the distributor. In the case of toys sold in bulk, such as jacks or marbles, only the container need be marked. All of these markings shall be legible and so positioned as to be seen easily by the customer and shall resist normal use conditions. Toys may carry a code that will enable the producer to identify model changes except for toys comprising many loose components, in which case the container may be so coded.	Pass
8	Test Methods	
8.5	Normal Use Testing	Pass

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

# Test Report

NO.: ASZ09070308101

Date: Jul 20, 2009

Page 3 of 4

8.7	Impact Tests	Pass
8.8	Torque Tests for Removal of Components	Pass
8.9	Tension Test for Removal of Components	Pass
8.10	Compression Test	Pass

**- Flammability of materials other than textiles**

Ref: ASTM F 963-08 Section 4.2

Method used: Federal Hazardous Substances Act (FHSA) 16 CFR 1500.44

Requirement: The burn rate shall not exceed 0.1in. per second.

Result:The sample did not ignite in 5 seconds.

**- Heavy metals analysis**

Ref: ASTM F 963-08 Section 4.3.5 and CPSA 16CFR 1303

Determined by: ICP-OES

Soluble Element	Cadmium (Cd)	Lead (Pb)	Chromium (Cr)	Mercury (Hg)	Antimony (Sb)	Barium (Ba)	Arsenic (As)	Selenium (Se)	Total Lead
Limit	75	90	60	60	60	1000	25	500	600
Code	Specimen's testing result								
1	<5	<5	<5	<5	<5	<5	<2.5	<5	<5
2	<5	<5	<5	<5	<5	184.8	<2.5	<5	<5
3	<5	<5	<5	<5	<5	<5	<2.5	<5	<5
4	<5	<5	<5	<5	<5	33.1	<2.5	<5	<5
5	<5	<5	<5	<5	<5	16.3	<2.5	<5	<5
6	<5	<5	<5	<5	<5	<5	<2.5	<5	<5
7	<5	<5	<5	<5	<5	<5	<2.5	<5	<5
8	<5	<5	<5	<5	<5	7.4	<2.5	<5	<5
9	<5	<5	<5	<5	<5	6.5	<2.5	<5	<5
10	<5	<5	<5	<5	<5	<5	<2.5	<5	<5

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

**Shenzhen AOV Testing Technology Co., Ltd.**

2-6/F, No.5, Yuantou Lane, Tanglang, Taoyuan Street, Nanshan District, Shenzhen, Guangdong, China

Tel: 86-755-8600 8000 Fax: 86-755-8600 8282

Http: //www.aovt.com



# Test Report

NO.: ASZ09070308101

Date: Jul 20, 2009

Page 4 of 4


## Specimen Description

No.	Sample name
1	Black paint
2	Yellow paint
3	White paint
4	Red paint
5	Green paint
6	Pink paint
7	Orange paint
8	Blue paint
9	Brown paint
10	Purple paint

### Note:

- unit: mg/kg=ppm, <=Less than.
- Results shown are of the adjusted analytical results.
- Photo is included

### Photograph of Sample



MIX & MATCH ME

\*\*\*End of Report\*\*\*

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

**Shenzhen AOV Testing Technology Co., Ltd.**

2-6/F, No.5, Yuantou Lane, Tanglang, Taoyuan Street, Nanshan District, Shenzhen, Guangdong, China

Tel: 86-755-8600 8000 Fax: 86-755-8600 8282

Http: //www.aovt.com

