

HOLGATE[®] TOYS

America's Wooden Toy Maker Since 1929

CERTIFICATE OF COMPLIANCE

We certify that any and all products supplied where applicable, are now, and will be in the future, in compliance with all regulations specified within The Consumer Product Safety Improvement Act of 2008 including:

ASTM F963-07

Small Parts Warnings

Lead Content (15 U.S.C. 2052(a) (16))

Phthalates Restrictions (sec. 108)

3rd Party Independent Testing (14(a)(15 U.S.C. 2063(a))

Testing shall be made available upon request by contacting:

Company Name: Pepperell Braiding Company, Inc.
dba Holgate Toy Company
548 High Street
Bradford, PA 16701
info@holgatetoy.com

=====**Division of Pepperell Braiding Company**=====

P.O. Box 528 • 548 High Street • Bradford, PA 16701 • 814-368-4454 • Fax 814-368-9140



ACTS TESTING LABS, INC.

25 Anderson Road
Buffalo, NY 14225-4928
Tel (716) 897-3300
Fax (716) 897-0876

Technical Report 1B-01583 Revision

June 13, 1991

Page 1 of 3

Mr. Richard Bly
President
HOLGATE TOY COMPANY

SUBJECT:

Evaluation of 12 FARM AND RECYCLING TRUCK samples received on February 27, 1991.

INTRODUCTION:

The samples were evaluated according to the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations (CFR), Part 1500 ff. and ASTM F963-86, "Standard Consumer Safety Specification on Toy Safety."

Sample Description:	FARM AND RECYCLING TRUCK
Vendor:	Holgate
Model/Style:	673/674
Origin:	USA
P.O. No.:	n/a

EXECUTIVE SUMMARY:

The samples MEET the requirements of the Federal Hazardous Substances Act, Title 16, Code of Federal Regulations, Part 1500 ff. and ASTM F963-86, "Standard Consumer Safety Specification on Toy Safety."

ACTS TESTING LABS, INC.

Thomas E. Mazurek
Supervisor, Toy Laboratory

ACTS TESTING LABS, INC.

David G. Dick
Sr. Technician, Toy Laboratory

pan

Buffalo, New York

Hong Kong

Lille, France

D) RESULTS:**A) AGE GRADING (ASTM F963-86, Section 5.6)**

The samples do not contain an age grade; however, they are considered appropriate for children 2 years and over according to the age grading guidelines of the Consumer Product Safety Commission (CPSC) and ASTM Toy Standard F963-86.

B) USE AND ABUSE TESTS**1. Impact Test (FHSA, Section 1500.52(b))**

Samples A, B, C and D were dropped four times from a height of 3.0 feet onto the specified impact surface. No Small Objects, Sharp Edges, or Sharp Points were revealed.

2. Torque Test (FHSA, Section 1500.53(e))

All graspable components of samples E, F, G and H were subjected to 4 inch-pounds of torque for ten seconds in a clockwise and counterclockwise direction. No Small Objects, Sharp Edges, or Sharp Points were revealed.

3. Tension Test (FHSA, Section 1500.53(f))

All graspable components of samples E, F, G and H were subjected to 15 pounds of tension for ten seconds in a parallel and perpendicular direction using a calibrated tension gauge. No Small Objects, Sharp Edges, or Sharp Points were revealed.

4. Compression Test (FHSA, Section 1500.53(g))

Samples I, J, K and L were subjected to 30 pounds of compression for ten seconds on all areas that were inaccessible to flat surface contact during the Impact Test. No Small Objects, Sharp Edges, or Sharp Points were revealed.

C) FLAMMABILITY (FHSA, Section 1500.3(c)(6)(vi))

The samples were subjected to a five second application of the test flame as specified in Section 1500.44 of the FHSA. No ignition took place. The samples MEET the flammability requirement of Section 1500.3(c)(6)(vi) of a burn rate no greater than 0.1 inch per second.

I) RESULTS:**D) WOOD (ASTM F963-86, Section 4.8.3)**

This Section addresses potential hazards associated with the splintering of accessible wooden surfaces on toys. The Section requires that all accessible surfaces and edges of wood shall be free of splinters prior to the specified Use and Abuse Testing.

The samples were evaluated for the presence of splinters on all accessible surfaces. No splintering was observed before or after testing. The samples MEET the requirements of this Section.